

## MA-WA56-DP28N

### 4.7-6.425 GHz High Gain, Wideband, Dual Polarized/Dual Slant Antenna

MARS 5 GHz Dual Polarized Antenna designed to provide full coverage for the 5 GHz frequency band.

Additional Features:

- Efficient and stable performance.
- High gain/size ratio.
- Durable construction.
- UV protected radome made of polycarbonate allowing harsh weather installations.



## Specifications

### Electrical

Frequency range		4.7-4.9 GHz	4.9-5.15 GHz	5.15-5.875 GHz	5.875-6.1GHz	6.1-6.425 GHz
GAIN	V-Pol:	28 ± 1dBi	28.5 ± 0.5 dBi	29 ± 0.5 dBi	28.5 ± 0.5 dBi	27.5 ± 1 dBi
	H-Pol:	27 ± 1 dBi	28 ± 0.5 dBi	28.5±0.5 dBi	28 ± 1 dBi	27 ± 1 dBi
VSWR, max.		2.3 : 1	2 : 1	1.7 : 1	2 : 1	2.3:1
Polarization	Dual Pole Dual Slant (opt.)	Dual Polarization V&H ±45°				
3dB Beam-Width, H-Plane, typ.		5.5°	5.2°	4.7°	4.4°	5°
3dB Beam-Width, E-Plane, typ.		5.5°	5.2°	4.7°	4.4°	5°
Side Lobes, min.		ETSI TS3				ETSI TS 2
Cross Polarization, min.	V-Pol:	-26 dB	-26 dB	-23 dB	-23 dB	-23 dB
	H-Pol:	-23 dB	-25 dB	-23 dB	-20 dB	-15 dB
Front to Back Ratio, min.		ETSI TS3				
Port to Port Isolation, typ.		-30 dB				
Input power, max.		10 Watt				
Input Impedance		50 Ohm				
Lightning Protection		DC Grounded				

### Mechanical

Dimensions (HxWxD)	600 x 600 x 22 mm (23.5" x 23.5" x 0.86")
Weight	4.7 kg.
Connector (without enclosure)	2 x N-Type Female
Connector (with enclosure)	2 x SMA
Back Plane	Aluminum; Protected through chemical passivation
Radome	UV Protected, Polycarbonate
Enclosure - Small	171 x 167 x 68 mm. (External dimension)
Mount	See ordering options

### Environmental

Operating Temperature Range	-40°C to +65°C
Vibration	According to IEC 60721-3-4
Wind Load	200 km/h (Survival)
Flammability	UL94
Water Proofing	IP-67
Humidity	ETS 300 019-1-4, EN 302 085 (Annex A.1.1)
Salt Fog	According to IEC 68-2-11

## Ordering Options

MA-WA56-DP28N	Antenna Suited for MNT-60A (optional wall/pole adjustable mount)
MA-WA56-DP28NB	Antenna with MNT-60A mount
MA-WA56-DP28NSMESY	Antenna Suited for MNT-60A (2 x SMA with Small Enclosure)

Mars Antennas & RF Systems proprietary information

MARS reserves the right to make technical changes or modifications to any of its products and specifications without prior notice and without implementing such changes to prior supplied products. Product images are representative and indicative only. Warranty terms and general conditions of sale are applicable on any purchase of any product, available on MARS website.

3 Hamanor st. Holon 58861, P.O.Box 5 AZOR 58008, Israel

Tel: +972-3-5599661 • Fax: +972-3-5599677 • e-mail: mars@marsant.co.il • web: www.mars-antennas.com